## SUMMER COOLING



**Project Lighting** 



# Skyfan DC The future in fans



### **NEW PRODUCT!**



Intelligent energy saving DC technology



Up to 75% less power consumption



High airflow capacity



Extremely guiet - ideal for bedrooms



In-built anti-vibration system



Glass fibre composite blades for added strength and durability

#### WITH LIGHT MODELS



Slimline 5-Step dimmaun STEP DIMMER 20W LED (1800 lumen) Slimline 5-Step dimmable



Quick click blade assembly



Indoor and covered outdoor



6 speed LCD multifunction



Eco, Sleep and Timer



Summer / winter reversible



Android and IOS app control option (sold separately) Compatible with Google Home and Alexa.



Tri colour changeable (warm, natural and cool light)

#### LCD Remote Control Included:

- 6 speed reversible
- Eco mode the most energy efficient settina.
- Sleep mode reduces 1 speed every 30 mins until off

• Tri-colour (warm, natural and cool light)

• 1 - 12 hour run-on timer

WITH LIGHT MODELS:

**Available Sizes:** 

1200mm

1300mm

1500mm

5 step dimming



#### **Optional Accessories:**

#### **LCD Wall Control**



The controls are the same as the remote control.

SKYWCM

#### **App Control**

Android and IOS app control option



Compatible with Google Home and Alexa.



SKYAPPCM

900mm Extension rods with wiring loom available for high ceilings

Model SKYEXTR90WH/BL

**Extension Rods** 

| Model            | Colour      | Sweep<br>Size mm | Motor Watt<br>L-H | Speed (RPM)<br>1,2,3,4,5 ECO | Airflow<br>M³/Hour | Blade<br>Count | Blade<br>Material | LED | Output | 5 Step<br>Dimmable | Tri<br>Colour | Remote<br>Control Inc |
|------------------|-------------|------------------|-------------------|------------------------------|--------------------|----------------|-------------------|-----|--------|--------------------|---------------|-----------------------|
| SKY1203WH/BL     | White/Black | 1200             | 3.6 -31w          | 95/140/170/200/230/*115      | 13,920             | 3              | GFC*              | N/A | N/A    | N/A                | N/A           | Yes                   |
| SKY1203WH-L/BL-L | White/Black | 1200             | 3.6 -31w          | 95/140/170/200/230/*115      | 13,920             | 3              | GFC*              | 20w | 1800Lm | Yes                | Yes           | Yes                   |
| SKY1303WH/BL     | White/Black | 1300             | 3.9 - 32w         | 90/132/166/190/210/*110      | 14,610             | 3              | GFC*              | N/A | N/A    | N/A                | N/A           | Yes                   |
| SKY1303WH-L/BL-L | White/Black | 1300             | 3.9 - 32w         | 90/132/166/190/210/*110      | 14,610             | 3              | GFC*              | 20w | 1800Lm | Yes                | Yes           | Yes                   |
| SKY1303TK        | Teak        | 1300             | 3.9 - 32w         | 90/132/166/190/210/*110      | 14,610             | 3              | GFC*              | N/A | N/A    | N/A                | N/A           | Yes                   |
| SKY1303TK-L      | Teak        | 1300             | 3.9 - 32w         | 90/132/166/190/210/*110      | 14,610             | 3              | GFC*              | 20w | 1800Lm | Yes                | Yes           | Yes                   |
| SKY1503WH/BL     | White/Black | 1500             | 3.9 - 43w         | 73/104/127/150/175/*88       | 19,300             | 3              | GFC*              | N/A | N/A    | N/A                | N/A           | Yes                   |
| SKY1503WH-L/BL-L | White/Black | 1500             | 3.9 - 43w         | 73/104/127/150/175/*88       | 19,300             | 3              | GFC*              | 20w | 1800Lm | Yes                | Yes           | Yes                   |
| SKY1503TK        | Teak        | 1500             | 3.9 - 43w         | 73/104/127/150/175/*88       | 19,300             | 3              | GFC*              | N/A | N/A    | N/A                | N/A           | Yes                   |
| SKY1503TK-L      | Teak        | 1500             | 3.9 - 43w         | 73/104/127/150/175/*88       | 19,300             | 3              | GFC*              | 20w | 1800Lm | Yes                | Yes           | Yes                   |
|                  |             |                  |                   |                              |                    |                |                   |     |        |                    |               |                       |

Product appearance may slightly vary.

\*ECO Speed

\*GFC: Glass Fibre Composite









#### LED LIGHT VERSIONS AVAILABLE

**AVAILABLE IN FOUR SIZES:** 

**SPYDA**<sup>36</sup> 900MM

**SPYDA**50 1250MM

**SPYDA**<sup>56</sup> 1400MM

SPYDA62

1570MM

**BAMBOO** 



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.
























|                        |                      |                  |                     |                      |                    |                |                   |     |        |                    | 7             |                      |
|------------------------|----------------------|------------------|---------------------|----------------------|--------------------|----------------|-------------------|-----|--------|--------------------|---------------|----------------------|
| Model                  | Colour               | Sweep<br>Size mm | Motor<br>Watt H/M/L | Speed H/M/L<br>(RPM) | Airflow<br>M³/Hour | Blade<br>Count | Blade<br>Material | LED | Output | 4 Step<br>Dimmable | Tri<br>Colour | Compatible<br>Remote |
| SPY903WH/TI/BL         | White/Titanium/Black | 900              | 60/24/16            | 280/210/150          | 7,400              | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFRDIM            |
| SPY1253NWH/TI/BL       | White/Titanium/Black | 1250             | 55/34/14            | 230/170/107          | 12,600             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1253WH-L/TI-L/BL-L  | White/Titanium/Black | 1250             | 55/34/14            | 230/170/107          | 12,600             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1253NBAM/TK/WN      | Bamboo/Teak/Walnut   | 1250             | 55/34/14            | 230/170/107          | 12,600             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1253BAM-L/TK-L/WN-L | Bamboo/Teak/Walnut   | 1250             | 55/34/14            | 230/170/107          | 12,600             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1423NWH/TI/BL       | White/Titanium/Black | 1400             | 68/22/13            | 220/140/100          | 13,320             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1423WH-L/TI-L/BL-L  | White/Titanium/Black | 1400             | 68/22/13            | 220/140/100          | 13,320             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1423NBAM/TK/WN      | Bamboo/Teak/Walnut   | 1400             | 68/22/13            | 220/140/100          | 13,320             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1423BAM-L/TK-L/WN-L | Bamboo/Teak/Walnut   | 1400             | 68/22/13            | 220/140/100          | 13,320             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1573NWH/TI/BL       | White/Titanium/Black | 1570             | 100/62/27           | 200/150/90           | 15,300             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR62             |
| SPY1573WH-L/TI-L/BL-L  | White/Titanium/Black | 1570             | 100/62/27           | 200/150/90           | 15,300             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR62             |
| SPY1573NBAM/TK/WN      | Bamboo/Teak/Walnut   | 1570             | 100/62/27           | 200/150/90           | 15,300             | 3              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR62             |
| SPY1573BAM-L/TK-L/WN-L | Bamboo/Teak/Walnut   | 1570             | 100/62/27           | 200/150/90           | 15,300             | 3              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR62             |
|                        |                      |                  |                     |                      |                    |                |                   |     |        |                    |               |                      |

TEAK

WALNUT

Product appearance may slightly vary.











**TITANIUM** 



1250MM

SPYDA56

1400MM



### **FIVE COLOUR OPTIONS**



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.




























| Model                 | Colour               | Sweep<br>Size mm | Motor<br>Watt H/M/L | Speed H/M/L<br>(RPM) | Airflow<br>M³/Hour | Blade<br>Count | Blade<br>Material | LED | Output | 4 Step<br>Dimmable | Tri<br>Colour | Compatible<br>Remote |
|-----------------------|----------------------|------------------|---------------------|----------------------|--------------------|----------------|-------------------|-----|--------|--------------------|---------------|----------------------|
| SPY1254WH/TI/BL       | White/Titanium/Black | 1250             | 55/34/14            | 230/170/107          | 12,780             | 4              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1254WH-L/TI-L/BL-L | White/Titanium/Black | 1250             | 55/34/14            | 230/170/107          | 12,780             | 4              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1254TK/WN          | Teak/Walnut          | 1250             | 55/34/14            | 230/170/107          | 12,780             | 4              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1254TK-L/WN-L      | Teak/Walnut          | 1250             | 55/34/14            | 230/170/107          | 12,780             | 4              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1424WH/TI/BL       | White/Titanium/Black | 1400             | 68/22/13            | 220/140/100          | 13,980             | 4              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1424WH-L/TI-L/BL-L | White/Titanium/Black | 1400             | 68/22/13            | 220/140/100          | 13,980             | 4              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |
| SPY1424TK/WN          | Teak/Walnut          | 1400             | 68/22/13            | 220/140/100          | 13,980             | 4              | PC*               | N/A | N/A    | N/A                | N/A           | SPYRFR5056           |
| SPY1424TK-L/WN-L      | Teak/Walnut          | 1400             | 68/22/13            | 220/140/100          | 13,980             | 4              | PC*               | 20w | 2050Lm | Yes                | Yes           | SPYRFR5056           |

\*PC: Polycarbonate Blades





SATIN WHITE

TEAK

WALNUT

**MATTE BLACK** 

Product appearance may slightly vary.

**Project Lighting** 







True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



New Glass fibre Composite Blades for increased strength and durability



Durable corrosion proof components and UV protection allows the Spinika to be safely used for both indoor/covered outdoor and commercial applications



Low noise output makes the Spinika an ideal fan for bedrooms



Highest Quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Fully integrated 20 watt LED Light with high lumen output



Unique dimming function allows 25%, 50%, 75% or 100% light output



New aerodynamic blade design for highest levels of air movement



ECO Switch Setting. A pre selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Reversible airflow option for summer or winter



Installation friendly quick connect wiring and quick fix assembly



Three light colour options: cool, natural or warm white to suit your preference



Hi-Tec UV coating for exceptional durability and protection against harsh Australian conditions

| Model                 | Colour               | Sweep<br>Size mm | Motor<br>Watt H/M/L | Speed H/M/L<br>(RPM) | Airflow<br>M³/Hour | Blade<br>Count | Blade<br>Material | LED | Output | 4 Step<br>Dimmable | Tri<br>Colour | Compatible<br>Remote |
|-----------------------|----------------------|------------------|---------------------|----------------------|--------------------|----------------|-------------------|-----|--------|--------------------|---------------|----------------------|
| SPN1204WH/TI/BL       | White/Titanium/Black | 1220             | 68/22/13            | 220/160/100          | 12,480             | 4              | GFC*              | N/A | N/A    | N/A                | N/A           | SPNRFR               |
| SPN1204WH-L/TI-L/BL-L | White/Titanium/Black | 1220             | 68/22/13            | 220/160/100          | 12,480             | 4              | GFC*              | 20w | 2050Lm | Yes                | Yes           | SPNRFR               |
| SPN1304WH/TI/BL       | White/Titanium/Black | 1300             | 100/62/27           | 220/160/100          | 15,000             | 4              | GFC*              | N/A | N/A    | N/A                | N/A           | SPNRFR               |
| SPN1304WH-L/TI-L/BL-L | White/Titanium/Black | 1300             | 100/62/27           | 220/160/100          | 15,000             | 4              | GFC*              | 20w | 2050Lm | Yes                | Yes           | SPNRFR               |

**Project Lighting** 

\*GFC: Glass Fibre Composite





1220MM

TITANIUM

1300MM



**BLACK** 



Product appearance may slightly vary.





Stanza with no light, and B22 Light models

### **NEW PRODUCT!**



Stanza LED Light models

## Stanza Light and Remote Combo

B



Product appearance may slightly vary.

\*GFC: Glass Fibre Composite

\*Remote does not have a dimming function







True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



Precision moulded glass fibre composite blades for increased stability and higher airflow



Low noise output makes it suitable for all indoor and protected outdoor areas



A slower speed setting that is also suitable for gentle heat circulation in winter



Individually balance tested and quality checked for trouble free operation



2 x B22 lamp holders (globes not included)



Natural white, step dimmable high quality 20W LED

| Model        | Colour | Sweep<br>Size mm | Motor<br>Watt H/M/L | Speed H/M/L<br>(RPM) | Airtiow<br>M³/Hour | Count | Blade<br>Material | LED | Output | 4 Step<br>Dimmable | Compatible<br>Remote |
|--------------|--------|------------------|---------------------|----------------------|--------------------|-------|-------------------|-----|--------|--------------------|----------------------|
| STA1203WHLED | White  | 1220             | 55/35/17            | 190/150/105          | 11,700             | 3     | GFC*              | 20w | 1600Lm | Yes                | STARFR48             |
| STA1203BLLED | Black  | 1220             | 55/35/17            | 190/150/105          | 11,700             | 3     | GFC*              | 20w | 1600Lm | Yes                | STARFR48             |
| STA1403WHLED | White  | 1400             | 68/35/17            | 190/140/95           | 13,210             | 3     | GFC*              | 20w | 1600Lm | Yes                | STARFR48             |

\*GFC: Glass Fibre Composite










True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.




| Model      | Description                                                                                                        |
|------------|--------------------------------------------------------------------------------------------------------------------|
| SPYRFR5056 | Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 50" and 56" Spyda Ceiling Fans. |
| SPYRFR62   | Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 62" Spyda Ceiling Fans.         |



| Model    | Description                                                                                              |
|----------|----------------------------------------------------------------------------------------------------------|
| SPNRFR   | Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Spinika Ceiling Fans. |
| STARFR48 | Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Stanza Ceiling Fans.  |





#### **SPYDA Extension Rods**




#### SPINIKA STANZA **Extension Rods**



| Model                 | Description                                                                         |
|-----------------------|-------------------------------------------------------------------------------------|
| SPNEXTR60<br>WH/TI/BL | Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included. |
| SPNEXTR90<br>WH/TI/BL | Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included. |
| STAEXTR-<br>90WHLED   | Satin White 900mm with quick connect wiring loom included.                          |
| STAEXTR-<br>90BLLED   | Matte Black 900mm with quick connect wiring loom included.                          |



| Model  | Description                             |
|--------|-----------------------------------------|
| SPJKWH | Extension Rod Joiner Kit - Satin White. |
| SPJKBL | Extension Rod Joiner Kit - Matte Black. |
| SPJKTI | Extension Rod Joiner Kit - Titanium.    |











#### 1220MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, guieter operation.
- High quality 18W LED light option.

- Four precision moulded ABS blades.
- · Premium long life motor and components.
- Reversible airflow option for summer or winter.
- · Quick connect wiring and fittings for easy install.

| Model                 | Colour               | LED | LED Output |       | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H/M/L<br>(RPM) | Remote<br>Adaptable |
|-----------------------|----------------------|-----|------------|-------|---------------|----------------|-------------------|---------------|----------------------|---------------------|
| HAR1204WH/TI/BL       | White/Titanium/Black | N/A | N/A        | N/A   | 1220mm        | 4              | ABS               | 75w           | 239/174/125          | NGCFRC or UCFR      |
| HAR1204WH-L/TI-L/BL-L | White/Titanium/Black | 18W | 1500Lm     | 4000K | 1220mm        | 4              | ABS               | 75w           | 239/174/125          | NGCFRC or UCFR      |

**Project Lighting** 

#### 1320MM NEW GENERATION DESIGNER CEILING FAN

· Latest ceiling fan technology and design.

HIGH AIR
MOVEMENT NOISELEVEL LED LIGHT BALANCED REVERSIBLE CONNECT

Royale II

- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.
- Four precision moulded ABS blades.

- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- · Quick connect wiring and fittings for easy install.
- · Walnut colour has an oiled rubbed bronze motor housing and canopy.

| Model                 | Colour               | LED Output |        | CCT   | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H/M/L<br>(RPM) | Remote<br>Adaptable |
|-----------------------|----------------------|------------|--------|-------|---------------|----------------|-------------------|---------------|----------------------|---------------------|
| ROY1304WH/TI/BL       | White/Titanium/Black | N/A        | N/A    | N/A   | 1320mm        | 4              | ABS               | 75w           | 210/150/102          | NGCFRC or UFRC      |
| ROY1304WN             | Walnut               | N/A        | N/A    | N/A   | 1320mm        | 4              | ABS               | 75w           | 210/150/102          | NGCFRC or UFRC      |
| ROY1304WH-L/TI-L/BL-L | White/Titanium/Black | 18w        | 1500Lm | 4000K | 1320mm        | 4              | ABS               | 75w           | 210/150/102          | NGCFRC or UFRC      |























similar performance levels.

#### 1320MM NEW GENERATION DC CEILING FAN

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- High quality 18W LED light option.

- Pre-balanced for smoother, quieter performance.
- Four precision moulded ABS blades.
- Reversible function conveniently located on the remote.
- · Quick connect wiring and fittings for easy install.

| Model         | Colour | LED | LED Output |       | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H to L<br>(RPM) | Remote<br>Control |
|---------------|--------|-----|------------|-------|---------------|----------------|-------------------|---------------|-----------------------|-------------------|
| ROY1304WH-DC  | White  | N/A | N/A        | N/A   | 1320mm        | 4              | ABS               | 4w to 33w     | 245/210/180/145/105   | Included          |
| ROY1304WHL-DC | White  | 18w | 1500Lm     | 4000K | 1320mm        | 4              | ABS               | 4w to 33w     | 245/210/180/145/105   | Included          |

**Project Lighting** 

















**ENERGY SAVING DC** 

| Model      | Description                                                                         |
|------------|-------------------------------------------------------------------------------------|
| NGCANOPYBL | Black Canopy required for pitched ceiling extension rods to suit Seattle DC Ceiling |

## Seattle DC 1400MM NEW GENERATION DC CEILING FAN

- Energy Saving DC ceiling fan technology.
- New blade design for maximum air circulation.
- Suitable for indoor and covered outdoor applications.
- Five speed RF remote control with timer included.
- Pre-balanced for smoother, quieter performance.
- Three precision moulded timber style ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

| Model              | Colour           | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H to L<br>(RPM) | Remote<br>Control |
|--------------------|------------------|---------------|----------------|-------------------|---------------|-----------------------|-------------------|
| SEA1403LO-DC/WN-DC | Light Oak/Walnut | 1400mm        | 3              | ABS               | 5w to 38w     | 206/186/161/120/86    | Included          |











#### 1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.

- Five precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- · Quick connect wiring and fittings for easy install.

| Model Colour |       | LED Output |        | ССТ   | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H/M/L<br>(RPM) | Remote<br>Adaptable |
|--------------|-------|------------|--------|-------|---------------|----------------|-------------------|---------------|----------------------|---------------------|
| MAR1305WH    | White | N/A        | N/A    | N/A   | 1320mm        | 5              | ABS               | 75w           | 240/165/110          | NGCFRC or UCFR      |
| MAR1305WH-L  | White | 18w        | 1500Lm | 4000K | 1320mm        | 5              | ABS               | 75w           | 240/165/110          | NGCFRC or UCFR      |



## Malibu IP55 COUTDOORS



#### 1320MM NEW GENERATION OUTDOOR CEILING FAN

- IP55 Dust and Water protection rating.
- Engineered for large area air circulation.
- Up to 50% more air circulation than timber blade fans. Premium long life motor and components.
- Designed specifically for outdoor and coastal applications.
- Pre-balanced for smoother, quieter operation.
- Four durable ABS moulded blades.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

| Model     | Colour   | Sweep<br>Size | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed H/M/L<br>(RPM) | Remote<br>Adaptable |
|-----------|----------|---------------|----------------|-------------------|---------------|----------------------|---------------------|
| MAL1404TI | Titanium | 1320mm        | 4              | ABS               | 100w          | 255/161/104          | NGCFRC or UCFR      |















**National** 











#### 1320MM HIGH PERFORMANCE OUTDOOR FAN

- Full 316 Marine Grade Stainless Steel construction.
- Excellent air movement and cooling effect.
- Ideal for covered outdoor and coastal regions.
- Premium long life ball bearing motor.
- Reversible airflow option for summer or winter.
- Easy install with quick connect wiring and quick
- 316 Grade Stainless Steel 900mm extension rod available.

| Model     | Sweep  | Blade | Blade               | Motor | Speed H/M/L | Remote       |
|-----------|--------|-------|---------------------|-------|-------------|--------------|
|           | Size   | Count | Material            | Watt  | (RPM)       | Adaptable    |
| Z524EXTSS | 1320mm | 4     | 316 Stainless Steel | 75w   | 230/130/80  | VRFR or UCFR |

**Project Lighting** 

## Manhattan

ENCLOSED CEILING FAN WITH LED LIGHT

• Fully enclosed ceiling fan with 360° LED light diffuser.

- Unique stylish design offers a safe, clean and compact look.
- Quality rotating louvre creates widespread variable air circula
- Extra safe enclosed blade design ideal for bedrooms and liv
- 24 watt dimmable natural LED light.
- 3 Speed remote with LED dimmer.

| ation.      | Model        | Colour | Length |  |
|-------------|--------------|--------|--------|--|
| ring areas. | MANHEXTR90WH | White  | 900mm  |  |
|             |              |        |        |  |

Black Grille Option available

Extension Rods Available

900mm White

| Model       | Grille Colour | Diameter | Blade<br>Count | Blade<br>Material | Motor<br>Watt | Speed<br>H/M/L | Light<br>Output | Light Colour  | LED Output | Remote<br>Control |
|-------------|---------------|----------|----------------|-------------------|---------------|----------------|-----------------|---------------|------------|-------------------|
| MANH40WH/BL | White/Black   | 570mm    | 3              | ABS               | 78w           | 1300/1150/1000 | 24 watt LED     | Natural White | 1400Lm     | Yes               |





## **Light Kits**









| Model | Description                            |
|-------|----------------------------------------|
| VCLW  | 180mm White Clipper Light with 1 x B22 |



### **Remote Controls**





| Model | Description                                                                           |
|-------|---------------------------------------------------------------------------------------|
| UCFR  | Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans. |





| Model  | Description                                                                                                                     |
|--------|---------------------------------------------------------------------------------------------------------------------------------|
| NGCFRC | Premium 3 Speed RF Remote Control<br>Kit with timer function.<br>Includes 1-9 Hr Timer function.<br>Suits New Gen Ceiling Fans. |

**Project Lighting** 





| Model | Description                                                                           |
|-------|---------------------------------------------------------------------------------------|
| VRFR  | 3 speed Radio Frequency Remote<br>Control kit suits most Ventair Traditional<br>Fans. |

## **Extension Rods**



Ceiling fan extension rods for various models. All extension rods come with quick connect wiring loom.

| Model            | Description                                                                        |      |
|------------------|------------------------------------------------------------------------------------|------|
| VEXRS316900      | 900mm <b>316 Stainless Steel</b> to suit the <b>NATIONAL</b>                       |      |
| MARXR90-WH       | 900mm to suit <b>MARIAH</b> White                                                  |      |
| HRMXR90-WH/TI/BL | 900mm to suit <b>HARMONY II, ROYALE II</b> and <b>MALIBU IP55</b> White/Titanium/B | lack |
| HRMXR90-WH-DC    | 900mm to suit <b>ROYALE II DC</b> White                                            |      |
| SEAWASXR90-BL    | 900mm to suit <b>SEATTLE DC</b> Black                                              |      |





#### WALL MOUNTED COOLING FAN

- Wall mounted three speed cooling fan.
- Oscillating and tilt adjustable head helps cool the whole room.
- AC Plug and lead makes installing easy.
- 0.5hr-7.5hr Timer (Remote model only).
- Wind/Breeze/Sleep Mode (Remote model only).

| Model   | Control        | Colour | Fan Slze | Grille Size | Motor Wattage | Speed H/M/L (RPM) | Ball Bearing   |
|---------|----------------|--------|----------|-------------|---------------|-------------------|----------------|
| ZEP40PC | Pull Cord      | White  | 400mm    | 450mm       | 65w           | 1300/1150/950     | Sleeve Bearing |
| ZEP40R  | Remote Control | White  | 400mm    | 450mm       | 65w           | 1300/1150/950     | Sleeve Bearing |

**Project Lighting** 

## **Orbital**

#### 450MM COMMERCIAL GRADE CEILING MOUNT FAN

- 360 degree orbital motion for maximum cooling.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Ideal for warmer climate areas.
- Three speed settings.
- Wall switch included.

| Model | Control      | Colour | Fan Slze | Grille Size | Motor Wattage | Speed H/M/L (RPM) | Ball Bearing |
|-------|--------------|--------|----------|-------------|---------------|-------------------|--------------|
| ORB45 | Wall Control | White  | 450mm    | 515mm       | 160w          | 1400/1200/900     | Ball Bearing |









450 & 750MM HEAVY DUTY PEDESTAL COOLING FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three and four speed settings.
- Adjustable head height.
- Heavy duty metal base.

| Model | Colour | Fan Size | Grille Size | Max Height | Motor Wattage | Speed H/M/L (RPM)  | Ball Bearing |
|-------|--------|----------|-------------|------------|---------------|--------------------|--------------|
| PED45 | Black  | 450mm    | 515mm       | 1500mm     | 160w          | 1400/1250/1100/900 | Ball Bearing |
| PED75 | Black  | 750mm    | 810mm       | 1700mm     | 280w          | 1400/1270/1150     | Ball Bearing |

Oscillating and tilt adjustable head.

450 & 750MM HEAVY DUTY WALL FAN

• High airflow, low noise.

- New anti-vibration patented blade design.
- Three speed settings.

| Model | Control        | Colour | Fan Slze | Grille Size | Motor Wattage | Speed H/M/L (RPM) | Ball Bearing |
|-------|----------------|--------|----------|-------------|---------------|-------------------|--------------|
| WAL45 | Pull Cord      | Black  | 450mm    | 515mm       | 160w          | 1400/1300/1100    | Ball Bearing |
| WAL75 | 3 Speed Switch | Black  | 750mm    | 810mm       | 280w          | 1400/1270/1150    | Ball Bearing |





### Project Lighting

www.projectlighting.com.au

**Batemans Bay** Ph: (02) 4472 4744 **Belconnen** Ph: (02) 6251 4311 **Phillip** Ph: (02) 6282 2588

**Queanbeyan** Ph: (02) 6299 7076 **Ulladulla** Ph: (02) 4455 4025 **Orange** Ph: (02) 6369 0855